

Prepared for:
Driftless Extracts LLC

1110 Leed Pkwy
Plain, WI USA 53577


1500 MG Topical Cream

Batch ID or Lot Number: 2022-C-DRI-0031-0002	Test: Potency	Reported: 02Mar2023	USDA License: N/A
Matrix: Unit	Test ID: T000236640	Started: 28Feb2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 27Feb2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	23.641	76.145	<LOQ	<LOQ	# of Servings = 1, Sample Weight=114g
Cannabichromenic Acid (CBCA)	21.623	69.647	ND	ND	
Cannabidiol (CBD)	67.642	201.599	1666.130	14.60	
Cannabidiolic Acid (CBDA)	69.377	206.770	ND	ND	
Cannabidivarin (CBDV)	15.998	47.680	ND	ND	
Cannabidivarinic Acid (CBDVA)	28.941	86.254	ND	ND	
Cannabigerol (CBG)	13.423	43.233	ND	ND	
Cannabigerolic Acid (CBGA)	56.111	180.729	ND	ND	
Cannabinol (CBN)	17.511	56.401	ND	ND	
Cannabinolic Acid (CBNA)	38.283	123.306	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	66.849	215.313	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	60.711	195.543	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	53.790	173.251	ND	ND	
Tetrahydrocannabivarin (THCV)	12.209	39.324	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	47.445	152.815	ND	ND	
Total Cannabinoids			1666.130	14.60	
Total Potential THC			ND	ND	
Total Potential CBD			1666.130	14.60	

Final Approval


Samantha Smith
02Mar2023
04:59:00 PM MST

PREPARED BY / DATE


Karen Winternheimer
03Mar2023
05:02:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/f47ade65-531a-442e-bd17-a93f6740e301>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
f47ade65531a442ebd17a93f6740e301.1