

Prepared for:
Driftless Extracts LLC

1110 Leed Pkwy
Plain, WI USA 53577


Punch In Gummy

Batch ID or Lot Number: ECDRI12	Test: Potency	Reported: 15Mar2023	USDA License: N/A
Matrix: Unit	Test ID: T000238620	Started: 15Mar2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 14Mar2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.337	0.940	ND	ND	# of Servings = 1, Sample Weight=4g
Cannabichromenic Acid (CBCA)	0.308	0.860	ND	ND	
Cannabidiol (CBD)	0.906	2.545	27.260	6.80	
Cannabidiolic Acid (CBDA)	0.929	2.611	ND	ND	
Cannabidivarin (CBDV)	0.214	0.602	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.388	1.089	ND	ND	
Cannabigerol (CBG)	0.191	0.534	ND	ND	
Cannabigerolic Acid (CBGA)	0.800	2.232	ND	ND	
Cannabinol (CBN)	0.250	0.697	ND	ND	
Cannabinolic Acid (CBNA)	0.546	1.523	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.953	2.659	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.865	2.415	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.767	2.140	ND	ND	
Tetrahydrocannabivarin (THCV)	0.174	0.486	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.676	1.887	ND	ND	
Total Cannabinoids			27.260	6.80	
Total Potential THC			ND	ND	
Total Potential CBD			27.260	6.80	

Final Approval



Sam Smith
15Mar2023
03:01:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
15Mar2023
03:17:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/43c35f3b-f072-453d-aeaf-60e5a54f658d>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cell #4329.02
43c35f3b-f072453daef60e5a54f658d.1