

Prepared for:
Driftless Extracts LLC

1110 Leed Pkwy
Plain, WI USA 53577

Punch Out 25mg CBD Gummy

Batch ID or Lot Number: ECDRI36	Test: Potency	Reported: 20Apr2023	USDA License: N/A
Matrix: Unit	Test ID: T000241360	Started: 19Apr2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 17Apr2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.432	1.114	ND	ND	# of Servings = 1, Sample Weight=5g
Cannabichromenic Acid (CBCA)	0.395	1.019	ND	ND	
Cannabidiol (CBD)	1.246	3.056	29.640	5.90	
Cannabidiolic Acid (CBDA)	1.278	3.134	ND	ND	
Cannabidivarin (CBDV)	0.295	0.723	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.533	1.307	ND	ND	
Cannabigerol (CBG)	0.245	0.633	ND	ND	
Cannabigerolic Acid (CBGA)	1.026	2.644	ND	ND	
Cannabinol (CBN)	0.320	0.825	ND	ND	
Cannabinolic Acid (CBNA)	0.700	1.804	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.222	3.150	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	1.110	2.861	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.983	2.535	ND	ND	
Tetrahydrocannabivarin (THCV)	0.223	0.575	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.867	2.236	ND	ND	
Total Cannabinoids			29.640	5.90	
Total Potential THC			ND	ND	
Total Potential CBD			29.640	5.90	

Final Approval



Karen Winternheimer
20Apr2023
01:05:00 PM MDT

PREPARED BY / DATE



Sam Smith
20Apr2023
01:08:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/5a74e66f-02f6-479d-afc6-97fdc8eaccaa>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
5a74e66f02f6479dafc697fdc8eaccaa.1