

Prepared for:
Driftless Extracts LLC

1110 Leed Pkwy
Plain, WI USA 53577


Punch In Gummy

Batch ID or Lot Number: ECDRI45	Test: Potency	Reported: 13Jun2023	USDA License: N/A
Matrix: Unit	Test ID: T000244685	Started: 10Jun2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 09Jun2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.343	1.102	ND	ND	# of Servings = 1, Sample Weight=4g
Cannabichromenic Acid (CBCA)	0.314	1.008	ND	ND	
Cannabidiol (CBD)	0.947	2.895	28.840	7.20	
Cannabidiolic Acid (CBDA)	0.971	2.969	ND	ND	
Cannabidivarin (CBDV)	0.224	0.685	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.405	1.239	ND	ND	
Cannabigerol (CBG)	0.195	0.626	ND	ND	
Cannabigerolic Acid (CBGA)	0.815	2.616	ND	ND	
Cannabinol (CBN)	0.254	0.816	ND	ND	
Cannabinolic Acid (CBNA)	0.556	1.785	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.971	3.116	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.882	2.830	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.781	2.508	ND	ND	
Tetrahydrocannabivarin (THCV)	0.177	0.569	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.689	2.212	ND	ND	
Total Cannabinoids			28.840	7.20	
Total Potential THC			ND	ND	
Total Potential CBD			28.840	7.20	

Final Approval



Sam Smith
13Jun2023
12:06:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
13Jun2023
12:18:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/fc62320a-a68e-47ff-965c-c8f27aaab516>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
fc62320aa68e47ff965cc8f27aaab516.1