

Prepared for:
Driftless Extracts LLC

1110 Leed Pkwy
Plain, WI USA 53577

Watermelon - D9 Gummy

Batch ID or Lot Number: ECDRI57	Test: Potency	Reported: 09Jun2023	USDA License: N/A
Matrix: Unit	Test ID: T000245838	Started: 09Jun2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 09Jun2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.321	0.936	ND	ND	# of Servings = 1, Sample Weight=4g
Cannabichromenic Acid (CBCA)	0.293	0.856	ND	ND	
Cannabidiol (CBD)	0.874	2.353	ND	ND	
Cannabidiolic Acid (CBDA)	0.896	2.413	ND	ND	
Cannabidivarin (CBDV)	0.207	0.557	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.374	1.007	ND	ND	
Cannabigerol (CBG)	0.182	0.531	ND	ND	
Cannabigerolic Acid (CBGA)	0.761	2.221	ND	ND	
Cannabinol (CBN)	0.238	0.693	ND	ND	
Cannabinolic Acid (CBNA)	0.520	1.515	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.907	2.646	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.824	2.403	5.990	1.50	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.730	2.129	ND	ND	
Tetrahydrocannabivarin (THCV)	0.166	0.483	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.644	1.878	ND	ND	
Total Cannabinoids			5.990	1.50	
Total Potential THC			5.990	1.50	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
09Jun2023
02:55:00 PM MDT

PREPARED BY / DATE



Sam Smith
09Jun2023
02:57:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/ccc2436e-72cd-4670-9e18-5f03b95baa6b>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
ccc2436e72cd46709e185f03b95baa6b.1