

Prepared for:
Driftless Extracts LLC

1110 Leed Pkwy
Plain, WI USA 53577

Punch In Gummy

Batch ID or Lot Number: ECDRI9	Test: Potency	Reported: 28Feb2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000236368	Started: 24Feb2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 23Feb2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.012	0.034	ND	ND	
Cannabichromenic Acid (CBCA)	0.011	0.031	ND	ND	
Cannabidiol (CBD)	0.031	0.091	0.730	7.30	
Cannabidiolic Acid (CBDA)	0.032	0.093	ND	ND	
Cannabidivarin (CBDV)	0.007	0.021	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.013	0.039	ND	ND	
Cannabigerol (CBG)	0.007	0.019	ND	ND	
Cannabigerolic Acid (CBGA)	0.029	0.081	ND	ND	
Cannabinol (CBN)	0.009	0.025	ND	ND	
Cannabinolic Acid (CBNA)	0.020	0.055	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.035	0.097	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.032	0.088	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.028	0.078	ND	ND	
Tetrahydrocannabivarin (THCV)	0.006	0.018	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.025	0.069	ND	ND	
Total Cannabinoids			0.730	7.30	
Total Potential THC			ND	ND	
Total Potential CBD			0.730	7.30	

Final Approval



Karen Winternheimer
28Feb2023
09:21:00 AM MST

PREPARED BY / DATE



Sam Smith
28Feb2023
09:28:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/eb17efd6-86c4-48ab-ae41-6468d1aecb8a>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert. #4329.02
eb17efd686c448abae416468d1aecb8a.1