

Prepared for:
Driftless Extracts LLC

1110 Leed Pkwy
Plain, WI USA 53577

Punch Out

Batch ID or Lot Number: ECDRI70	Test: Potency	Reported: 19Jul2023	USDA License: N/A
Matrix: Unit	Test ID: T000248437	Started: 18Jul2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 14Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.310	0.967	ND	ND	# of Servings = 1, Sample Weight=4g
Cannabichromenic Acid (CBCA)	0.283	0.885	ND	ND	
Cannabidiol (CBD)	0.891	2.536	27.190	6.80	
Cannabidiolic Acid (CBDA)	0.914	2.601	ND	ND	
Cannabidivarin (CBDV)	0.211	0.600	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.381	1.085	ND	ND	
Cannabigerol (CBG)	0.176	0.549	ND	ND	
Cannabigerolic Acid (CBGA)	0.735	2.295	ND	ND	
Cannabinol (CBN)	0.229	0.716	ND	ND	
Cannabinolic Acid (CBNA)	0.502	1.566	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.876	2.734	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.795	2.483	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.705	2.200	ND	ND	
Tetrahydrocannabivarin (THCV)	0.160	0.499	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.622	1.941	ND	ND	
Total Cannabinoids			27.190	6.80	
Total Potential THC			ND	ND	
Total Potential CBD			27.190	6.80	

Final Approval


Sam Smith
19Jul2023
03:06:00 PM MDT

PREPARED BY / DATE


Karen Winternheimer
19Jul2023
03:10:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/abfc9964-affa-4d64-8c04-43bed0fa8237>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
abfc9964affa4d648c0443bed0fa8237.1