

Prepared for:
Driftless Extracts LLC

1110 Leed Pkwy
Plain, WI USA 53577


Apple Spice - D9 Gummy


Batch ID or Lot Number: ECDRI71	Test: Potency	Reported: 19Jul2023	USDA License: N/A
Matrix: Unit	Test ID: T000248435	Started: 18Jul2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 14Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.331	1.034	ND	ND	# of Servings = 1, Sample Weight=4g
Cannabichromenic Acid (CBCA)	0.303	0.946	ND	ND	
Cannabidiol (CBD)	0.953	2.712	ND	ND	
Cannabidiolic Acid (CBDA)	0.977	2.782	ND	ND	
Cannabidivarin (CBDV)	0.225	0.641	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.408	1.160	ND	ND	
Cannabigerol (CBG)	0.188	0.587	ND	ND	
Cannabigerolic Acid (CBGA)	0.786	2.455	ND	ND	
Cannabinol (CBN)	0.245	0.766	ND	ND	
Cannabinolic Acid (CBNA)	0.536	1.675	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.937	2.925	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.851	2.656	5.900	1.50	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.754	2.353	ND	ND	
Tetrahydrocannabivarin (THCV)	0.171	0.534	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.665	2.076	ND	ND	
Total Cannabinoids			5.900	1.50	
Total Potential THC			5.900	1.50	
Total Potential CBD			ND	ND	

Final Approval


Sam Smith
19Jul2023
03:06:00 PM MDT
PREPARED BY / DATE


Karen Winternheimer
19Jul2023
03:10:00 PM MDT
APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/2f84c966-61a8-485b-b33a-da8a348eaf21>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
2f84c96661a8485bb33ada8a348eaf21.1