

Prepared for:
Driftless Extracts LLC

1110 Leed Pkwy
Plain, WI USA 53577

Lemon - D9 Gummy

Batch ID or Lot Number: ECDRI120	Test: Potency	Reported: 10Oct2023	USDA License: N/A
Matrix: Unit	Test ID: T000257940	Started: 06Oct2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 05Oct2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.261	0.926	ND	ND	# of Servings = 1, Sample Weight=4g
Cannabichromenic Acid (CBCA)	0.239	0.847	ND	ND	
Cannabidiol (CBD)	0.888	2.765	ND	ND	
Cannabidiolic Acid (CBDA)	0.911	2.836	ND	ND	
Cannabidivarin (CBDV)	0.210	0.654	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.380	1.183	ND	ND	
Cannabigerol (CBG)	0.148	0.526	ND	ND	
Cannabigerolic Acid (CBGA)	0.620	2.197	ND	ND	
Cannabinol (CBN)	0.193	0.686	ND	ND	
Cannabinolic Acid (CBNA)	0.423	1.499	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.739	2.617	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.671	2.377	4.910	1.20	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.594	2.106	ND	ND	
Tetrahydrocannabivarin (THCV)	0.135	0.478	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.524	1.858	ND	ND	
Total Cannabinoids			4.910	1.20	
Total Potential THC			4.910	1.20	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
10Oct2023
10:10:00 AM MDT

PREPARED BY / DATE



Sam Smith
10Oct2023
10:11:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uiid/185f8693-585a-453a-a114-ea32939944c4>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
185f8693585a453aa114ea32939944c4.1