

Prepared for:
Driftless Extracts LLC

1110 Leed Pkwy
Plain, WI USA 53577

1500MG Topical Cream

Batch ID or Lot Number: ECDRI91	Test: Potency	Reported: 10Aug2023	USDA License: N/A
Matrix: Unit	Test ID: T000251420	Started: 09Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Aug2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	21.026	70.238	<LOQ	<LOQ	# of Servings = 1, Sample Weight=114g
Cannabichromenic Acid (CBCA)	19.231	64.244	ND	ND	
Cannabidiol (CBD)	68.833	186.164	2066.950	18.10	
Cannabidiolic Acid (CBDA)	70.598	190.939	ND	ND	
Cannabidivarin (CBDV)	16.280	44.030	ND	ND	
Cannabidivarinic Acid (CBDVA)	29.450	79.650	ND	ND	
Cannabigerol (CBG)	11.938	39.879	ND	ND	
Cannabigerolic Acid (CBGA)	49.904	166.710	ND	ND	
Cannabinol (CBN)	15.574	52.025	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	34.048	113.741	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	59.454	198.611	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	53.995	180.375	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	47.839	159.812	ND	ND	
Tetrahydrocannabivarin (THCV)	10.858	36.273	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	42.196	140.961	ND	ND	
Total Cannabinoids			2066.950	18.10	
Total Potential THC			ND	ND	
Total Potential CBD			2066.950	18.10	

Final Approval



Karen Winternheimer
10Aug2023
01:53:00 PM MDT

PREPARED BY / DATE



Sam Smith
10Aug2023
01:55:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/8791e637-5c1c-42e6-b7fe-3f725e42416e>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
8791e6375c1c42e6b7fe3f725e42416e.1