

Prepared for:
Driftless Extracts LLC

1110 Leed Pkwy
Plain, WI USA 53577

Watermelon - D9 Gummy

Batch ID or Lot Number: ECDRI95	Test: Potency	Reported: 31Aug2023	USDA License: N/A
Matrix: Unit	Test ID: T000254238	Started: 29Aug2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 28Aug2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.427	0.993	ND	ND	# of Servings = 1, Sample Weight=4g
Cannabichromenic Acid (CBCA)	0.390	0.908	ND	ND	
Cannabidiol (CBD)	1.156	2.665	ND	ND	
Cannabidiolic Acid (CBDA)	1.185	2.734	ND	ND	
Cannabidivarin (CBDV)	0.273	0.630	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.494	1.140	ND	ND	
Cannabigerol (CBG)	0.242	0.564	ND	ND	
Cannabigerolic Acid (CBGA)	1.012	2.357	ND	ND	
Cannabinol (CBN)	0.316	0.735	ND	ND	
Cannabinolic Acid (CBNA)	0.691	1.608	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.206	2.808	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	1.095	2.550	5.550	1.40	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.971	2.259	ND	ND	
Tetrahydrocannabivarin (THCV)	0.220	0.513	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.856	1.993	ND	ND	
Total Cannabinoids			5.550	1.40	
Total Potential THC			5.550	1.40	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
31Aug2023
11:39:00 AM MDT

PREPARED BY / DATE



Sam Smith
31Aug2023
11:40:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/be1596b7-efa3-4683-9bf6-dac53a2e0a09>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
be1596b7efa346839bf6dac53a2e0a09.1